High – End Smart Fingerprint Door Lock

Smart door locks provide convenience and security for your life







	₽	THE THE PARTY OF T	(Z)		
Grade C lock cylinder	Multi-Function Unlocking	Alarm Reminder	anti-interference	Accurate and rapid identification	Ultra-long battery life

Highlights

APP Control Unlocking

Download the TUYA Smart Door Lock APP, then establish a connection with the smart door lock; you can control the smart door lock on the APP





Fingerprint Unlock

Ultra-sensitive recognition chip, 1-second recognition is accurate and rapid



Highlights

Password Unlocking

6-digit numerical arrangement of passwords for added peace of mind and security





key In The Lock

Can be key unlocked, even if the power is not unlocked to go in; not afraid of no door to go in





Highlights

Grade C Cock Cylinder

C grade lock cylinder is more robust and durable, three-proof lock body, more security

B级 A级

Ultra Long Life


365 - day ultra - long battery life; with USB charging port for emergencies



Features







Security

C-class lock cylinder, three-proof lock body; durable security is guaranteed, for your security escort


Four Ways To Unlock

· Unlocking methods include: APP control unlocking, fingerprint unlocking, password unlocking, key unlocking; so that you no longer have to worry about not bringing the key to the

Alert

Anti-pick lock, low battery, multiple incorrect code attempts will alert you; providing you with an extra layer of protection.

Features







Fast Recognition

With advanced chip, fingerprint identification is accurate and fast, no need to worry about recognition failure resulting in multiple failures ringing alarms

Undaunted By Interference

Adopting independent electronic program, shielding strong magnetic field interference, not afraid of small black box illegal unlocking

High Quality Materials

Titanium alloy material to build a smart door lock, long-lasting and durable

Remote override unlocking

Bluetooth Gateway Connection

This product supports the use of connecting Bluetooth gateway to realize remote control unlocking








Bluetooth Mesh (SIG)Gateway needs to purchase separately

Specifications

Product Size

Total length 167MM, width 65MM, handle width 27MM; can be applied to the door of thickness 38 – 50MM





Product Information

Model: N1TY

Material: Zinc Alloy

Color: Silver

User Capacity: 5 Administrators (Fingerprint/Password)

295 Normal Users (Fingerprint/Password)

Unlimited App Temperary Passwords

Power Supply: 4 AAA Alkaline Batteries

Password Length: 4 – 10 Digits

Static Power Consumption: < 30uA


Working Power Consumption: \leq 200mA

Door Thickness: 38 – 50mm

Working Temperature: $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$

Working Humidity: 20%~80%RH

Battery life: One year of normal standby




Front Panel X1


Back Panel X1



User manual X1




Paper size installation template X 1



Deadbolt X1



Deadbolt box X1




Strike Plate X1



Mounting Plate X1



Key X 2



Screw Casing X 2 (40mm)



Screw A X 2 (30mm)



Screw B X 4 (25mm)



Screw C X 2 (8mm)